Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	7801	((709/227) or (709/202) or (709/203) or (709/229) or (709/230) or (709/238) or (709/239) or (709/240) or (707/200) or (707/200)).CCLS.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/13 20:07
S2	1927	((711/148) or (711/170) or (707/205)).CCLS.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/13 20:07
S3	0	("001and2").PN.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/13 20:07
S4	9545	S1 or S2	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/13 20:07
S5	94388	(("709") or ("707") or ("711") or ("345")).CLAS.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/13 20:08
S6	0	("(networkadjareaadjstorage)").PN.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/13 20:09
S7	11	network adj area adj storage	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/13 20:09
S8	11	(network adj1 area adj1 storage)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/13 20:10
S9	1245	(network near1 area near1 storage)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/13 20:10
S10	1549	(network near2 area near2 storage)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/13 20:20
S11	402	S10 and S5	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/13 20:12
S12	79	S11 and ((data near3 path) or datapath)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/13 20:14
S13	2250	(construct or build or creat$3) same (datapath or (data near3 path))	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/13 20:16
S14	11	S11 and((construct or build or creat$3) same (datapath or (data near3 path)))	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/13 20:16

S15	1	S11 and((construct or build or creat$3) same (datapath or (data near3 path))) and (candidate or substitute or replacement)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/13 20:20
S16	1	(network near2 area near2 storage) and((construct or build or creat$3) same (datapath or (data near3 path))) and (candidate or substitute or replacement)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/13 20:21
S17	25	(network near2 area near2 storage) and((construct or build or creat$3) same (datapath or (data near3 path)))	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/14 16:56
S18	3	(network near2 area near2 storage) and((construct or build or creat$3) same (datapath or (data near3 path))) and heterogeneous	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/13 20:24
S19	17	S17 and @ad<"20010628"	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/13 20:42
S20	7	S17 and Param$ and @ad<"20010628"	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/13 20:44
S21	2	(S17 and Param$) and search$3 and @ad<"20010628"	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/13 20:50
S22	3	(S17 and Param$) and (search$3 or find$3 or look$3) and @ad<"20010628"	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/13 20:46
S23	0	(S17 and Param$) and ((search$3 or find$3 or look$3)with storage) and @ad<"20010628"	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/13 20:46
S24	0	(S17 and Param$) and ((search$3 or find$3 or look$3)with network) and @ad<"20010628"	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/13 20:46
S25	19	(network near2 area near2 storage) and((construct or build or creat$3) same (datapath or (data near3 path))) and server	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/14 16:56
S26	1	(((network near2 area near2 storage)or SAN) with search) and((construct or build or creat$3) same (datapath or (data near3 path))) and server and @ad<"20010628"	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/14 17:28
S27	112	(((network near2 area near2 storage)or SAN)) and((construct or build or creat$3) same (datapath or (data near3 path))) and server and @ad<"20010628"	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/14 17:28

S28	112	(((network near2 area near2 storage)or SAN) and((construct or build or creat$3) same (datapath or (data near3 path))) and server)and @ad<"20010628"	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/14 18:12
S29	14	(((network near2 area near2 storage)or SAN) and((construct or build or creat$3) same (datapath or (data near3 path))) and server and candidate)and @ad<"20010628"	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/14 17:58
S30	41	(((network near2 area near2 storage)or SAN) and((construct or build or creat$3) same (datapath or (data near3 path))) and server and (candidate or backup or back-up or (back adj up)same stor$4))and @ad<"20010628"	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/14 18:00
S31	41	(((network near2 area near2 storage)or SAN) and((construct or build or creat$3) same (datapath or (data near3 path))) and server and (candidate or backup or back-up or (back adj up)same storage))and @ad<"20010628"	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/14 18:00
S32	41	(((network near2 area near2 storage)or SAN) and((construct or build or creat$3) same (datapath or (data near3 path))) and server and (candidate or backup or back-up or (back adj up)with storage))and @ad<"20010628"	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/14 18:01
S33	19	(((network near2 area near2 storage)or SAN) and((construct or build or creat$3) same (datapath or (data near3 path))) and server and ((candidate or backup or back-up or (back adj up))with storage))and @ad<"20010628"	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/14 18:01
S34	17	(((network near2 area near2 storage)or SAN) and((construct or build or creat$3) same (datapath or (data near3 path))) and server and ((candidate or backup or back-up or (back adj up))with storage)) and (select$3)and @ad<"20010628"	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/14 18:02

S35	14	(((network near2 area near2 storage)or SAN) and((construct or build or creat$3) same (datapath or (data near3 path))) and server and ((candidate or backup or back-up or (back adj up))with storage)) and (select$3 with storage)and @ad<"20010628"	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/14 18:05
S36	1	(((network near2 area near2 storage)or SAN) and((construct or build or creat$3) same (datapath or (data near3 path))) and server and ((candidate or backup or back-up or (back adj up))with storage)) and (select$3 with storage)and (search$3 with (storage or SAN))and @ad<"20010628"	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/14 18:03
S37	12	(((network near2 area near2 storage)) and((construct or build or creat$3) same (datapath or (data near3 path))) and server)and @ad<"20010628"	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/14 19:08
S38	19	(((network near2 area near2 storage)) and((construct or build or creat$3) same (datapath or (data near3 path))) and server)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/14 19:08
S39	12	(((network near2 area near2 storage)) and((construct or build or creat$3) same (datapath or (data near3 path))) and server)and @ad<"20010628"	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/14 19:09
S40	1549	(network near2 area near2 storage)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/14 19:10
S41	25	(network near2 area near2 storage) and ((construct or build or creat$3) same (datapath or (data near3 path)))	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/14 19:10
S42	724	(network near2 area near2 storage) and (san near5 storage)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/14 19:11
S43	1850	(network near2 area near2 storage) or (san near5 storage)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/14 19:11
S44	1850	((network near2 area near2 storage) or (san near5 storage))	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/14 19:11

S45	70	((network near2 area near2 storage) or (san near5 storage))and ((construct or build or creat$3 or select$3 or evaluat$3) same (datapath or (data near3 path)))	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/14 19:12
S46	36	((network near2 area near2 storage) or (san near5 storage))and ((construct or build or creat$3 or select$3 or evaluat$3) same (datapath or (data near3 path))) and (candidate or backup or back-up or (back adj up))	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/14 19:13
S47	32	((network near2 area near2 storage) or (san near5 storage))and ((construct or build or creat$3 or select$3 or evaluat$3) same (datapath or (data near3 path))) and ((candidate or backup or back-up or (back adj up))with stor$5)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/14 19:14
S48	6	((network near2 area near2 storage) or (san near5 storage))and ((construct or build or creat$3 or select$3 or evaluat$3) same (datapath or (data near3 path))) and ((candidate or backup or back-up or (back adj up))with stor$5) and (best same stor$5)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/14 19:15
S49	5	((network near2 area near2 storage) or (san near5 storage))and ((construct or build or creat$3 or select$3 or evaluat$3) same (datapath or (data near3 path))) and ((candidate or backup or back-up or (back adj up))with stor$5) and (best same stor$5) and param$6	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/14 19:16
S50	5	((network near2 area near2 storage) or (san near5 storage))and ((construct or build or creat$3 or select$3 or evaluat$3) same (datapath or (data near3 path))) and ((candidate or backup or back-up or (back adj up))with stor$5) and (best same stor$5) and param$6 and server	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/14 19:16

S51	0	((network near2 area near2 storage) or (san near5 storage))and ((construct or build or creat$3 or select$3 or evaluat$3) same (datapath or (data near3 path))) and ((candidate or backup or back-up or (back adj up))with stor$5) and (best same stor$5) and param$6 and (server same san)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/14 19:17
S52	1	((network near2 area near2 storage) or (san near5 storage))and ((construct or build or creat$3 or select$3 or evaluat$3) same (datapath or (data near3 path))) and ((candidate or backup or back-up or (back adj up))with stor$5) and (best same stor$5) and param$6 and (server same storage)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/15 16:24
S53	1970	((network near2 area near2 storage) or (san near5 storage))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/15 16:24
S54	111	((network near2 area near2 storage) or (san near5 storage)) and (datapath or data-path or (data adj path))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/15 16:25
S55	6	((network near2 area near2 storage) or (san near5 storage)) and (datapath or data-path or (data adj path)) and metrics	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/15 16:25
S56	5	((network near2 area near2 storage) or (san near5 storage)) and (datapath or data-path or (data adj path)) and metrics and cost	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 19:01
S57	5	((network near2 area near2 storage) or (san near5 storage)) and (datapath or data-path or (data adj path)) and metrics and cost	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 19:01
S58	1	((network near2 area near2 storage) or (san near5 storage)) and (datapath or data-path or (data adj path)) and metrics and cost and template	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 19:02
S59	1	((network near2 area near2 storage) or (san near5 storage)) and metrics and cost and template	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 19:03
S60	17635	((network near2 area near2 storage) or (san near5 storage)) and (datapath or data-path or (data adj path)) cost and template	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 19:03

S61	5	((network near2 area near2 storage) or (san near5 storage)) and (datapath or data-path or (data adj path)) and cost and template	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/18 19:03